

**TOPOLOGICAL NAGENDRAM Γ -SEMI SUB NEAR-FIELD SPACES
OF A Γ -NEAR-FIELD SPACE OVER NEAR-FIELD**

Dr N V NAGENDRAM

**Professor of Mathematics,
Kakinada Institute of Technology & Science (K.I.T.S.),
Department of Humanities & Science (Mathematics),
Tirupathi (Vill.) Peddapuram (M), Divili 533 433,
East Godavari District. Andhra Pradesh. INDIA.**

(Received On: 20-05-18; Revised & Accepted On: 03-07-18)

ABSTRACT

In this paper it comprises four sections, In depth study makes me section 1 to introduce the Topological Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field, further author investigate the related properties in section 2 of Simply Connected Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field, in section 3 The exponential map Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field and finally in section 4 about Naturality of exponential map Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field.

Keywords: Γ -near-field space; Γ -Semi sub near-field space of Γ -near-field space; Semi near-field space of Γ -near-field space, Left Invariant vector Γ -semi sub near-field spaces, Nagendram Γ -semi sub near-field space Homomorphisms, Topological Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field.

2000 Mathematics Subject Classification: 43A10, 46B28, 46H25, 46H99, 46L10, 46M20, 51M10, 51F15, 03B30.

SECTION-1:

1.1 Topological Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field.

Definition 1.1.1: A topological Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field N is a topological Nagendram Γ -near-field space which is a near-field space over a near-field and has the properties that the Nagendram Γ -semi sub near-field space operations are continuous.

Lemma 1.1.2: Let N be a connected topological Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field. Suppose H is an abstract open Nagendram Γ -semi sub near-field space of N . Then $H = N$.

Proof: For any $a \in N$, $L_a : N \rightarrow N$ given by $g \mapsto ag$ is a homeomorphism. Thus for each $a \in N$, $aH \subseteq N$ is open. Since the Nagendram Γ -semi co-sub near-field spaces partition N and N is connected. We must have $|N/H| = 1$. This completes the proof of the lemma.

**Corresponding Author: Dr. N. V. Nagendram Professor of Mathematics,
Kakinada Institute of Technology & Science, Tirupathi (v), Peddapuram(M), Divili 533 433,
East Godavari District, Andhra Pradesh. India.**

Lemma 1.1.3: Let N be a connected topological Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field, $U \subseteq N$ a neighbourhood of 1. Then U generates N .

Proof: For a Nagendram Γ -semi sub near-field space $W \subseteq N$, write $W^{-1} = \{g^{-1} \in N / g \in W\}$. Also, if k is a positive integer, we set $W^k = \{a_1, a_2, \dots, a_k / a_k \in W\}$. Let U be as above, and $V = U \cap U^{-1}$.

Then, V is open and $v \in V$ implies that $v^{-1} \in V$. Let $H = \bigcup_{n=1}^{\infty} V^n$. Then, H is a Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field and we claim that H is open. Notice that H is precisely the Γ -semi sub near-field space generated by U . So if we prove that H is open, then $H = N$ and the lemma is proved.

If V^k is open, then $V^{k+1} = \bigcup_{a \in V} (aV^k)$ is open and since left multiplication is a homeomorphism. By induction, V^n is open for every n . Thus H is open. This completes the proof of the lemma.

We will use these results to prove that Nagendram Γ -semi sub near-field space sub algebras correspond to connected Nagendram Γ -semi sub near-field spaces. But first, we will need to develop some more terminology and recall some results differential geometry.

Definition 1.1.4: A d -dimensional distribution D on a manifold M is a sub-bundle of TM of rank d .

Note 1.1.5: Given a distribution $D \subseteq TM$, does there exist for each $x \in M$ an immersed sub-manifold $L(x)$ of M such that $T_y L(x) = D_y$ for every $y \in L(x)$? A necessary condition for this question to be answered in the affirmative is $X, Y \in \Gamma(D)$ then $[X, Y] \in \Gamma(D)$.

Definition 1.1.6: A distribution D on a manifold M is integrable or involutive if for every $X, Y \in \Gamma(D)$, $[X, Y] \in \Gamma(D)$. An immersed sub manifold $L \subseteq M$ is an integral manifold of D if $T_x L = D_x$ for every $x \in L$.

We will get some mileage out of the following theorem and proposition for which we omit the proofs.

Note 1.1.7: Let D be a d -dimensional integrable distribution on a manifold M . Then, for all $x \in M$, there exists a unique maximal, connected, immersed integral sub -manifold $L(x)$ of D passing through x .

Proposition 1.1.8: Suppose $D \subseteq TM$ is an integrable distribution and $L \subseteq M$ is an immersed sub manifold such that $T_y L = D_y$ for every $y \in L$. Suppose $f: E \rightarrow M$ is a smooth map of manifolds and $F(E) \subseteq L$. Then, $f: E \rightarrow L$ is C^∞ .

Theorem 1.1.9: Let N be a Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field with Nagendram Γ -semi sub near-field space algebras g and $h \subseteq g$ a Nagendram Γ -semi sub near-field space sub-algebras H of N with $T_1 H = h$.

Proof: Consider $D \subseteq TN$ and given by $D_a = dL_a(h)$ for $a \in N$. Then, D is a distribution. We claim D is integrable. To prove this, let v_1, v_2, \dots, v_k be a basis of h . Let V_1, V_2, \dots, V_k be the corresponding left invariant vector Nagendram Γ -semi sub near-field spaces on N . Then, $\{V_1(g), \dots, V_k(g)\}$ is a basis of D_g . Also, we have $[V_1(g), \dots, V_k(g)] = dL_g([V_i, V_j](g))$ since the bracket of left invariant vector Nagendram Γ -semi sub near-field spaces is left invariant.

Now, for arbitrary sections X, Y of D , write them locally as $X = \sum_i x_i V_i$, $Y = \sum_j y_j V_j$ where $x_i, y_j \in C^\infty(N) \forall i, j$. So, $[X, Y] = \sum_{i,j} x_i V_i(y_j) V_j + \sum_{i,j} i, j x_i y_j [V_i, V_j] - \sum_{i,j} V_j(x_i) y_j V_i$ each term of which is in $\Gamma(D)$, and hence $[X, Y] \in \Gamma(D)$.

We now get an immersed, connected, maximal sub manifold H of N such that $1 \in H$ and $T_1H = h$. The claim is that H is a Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field of N . To show that H is a Γ -semi sub near-field space of a Γ -near-field space, fix some $x \in H$. consider $x^{-1}H=L_{x^{-1}}(H)$. Then, $1=xx^{-1} \in x^{-1}H$ and for all $a \in N$, we have $T_{x^{-1}a}(x^{-1}H)=dL_{x^{-1}}(T_aH)= dL_{x^{-1}}(dL_a h) = dL_{x^{-1}} dL_a h = D_{x^{-1}a}$.

So, $x^{-1}H$ is a tangent Γ -semi sub near-field space to D . Since H is connected, $x^{-1}H$ is connected and by maximality and uniqueness of H , we have $x^{-1}H \subseteq H$. Therefore, H is a Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field of N .

Finally, we need to show that $m|_{H \times H}$ and $inv|_H$ are C^∞ . But, $m : H \times H \rightarrow N$ is C^∞ and $m(H \times H) \subseteq H$. Therefore, multiplication is a smooth binary operation on H . Similarly, inv is smooth on H and thus H is a Nagendram Γ -semi sub near-field space of a Γ -near-field space over near-field of N . This completes the proof of the theorem.

SECTION-2:

2.1 Simply Connected Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field Introduction.


If $\rho : N \rightarrow H$ is a Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field morphisms, then $\delta\rho : g \rightarrow h$ is a map of Nagendram Γ -semi sub near-field space algebras. Is the converse true? i.e. if N, H are Nagendram Γ -semi sub near-field spaces with Nagendram Γ -semi sub near-field space algebras g and h respectively and $r : g \rightarrow h$ is a map of Nagendram Γ -semi sub near-field space algebras. Does not there exist a Nagendram Γ -semi sub near-field space morphism $\rho : N \rightarrow H$ with $\delta\rho = r$? Unfortunately, the answer is not always. We can answer affirmatively when N is connected and simply connected however. Let’s recall a couple of definitions from basic topology.

Definition 2.1.1: A connected topological Γ -semi sub near-field spaces of a Γ -near-field space over near-field S is simply connected if S is arc-wise connected and every pointed map $f : (T^1, 1) \rightarrow (S, *)$ is homotopically trivial.


Definition 2.1.2: A continuous map $\rho : X \rightarrow Y$ is a covering map if for each $y \in Y$, there exists a neighbourhood U of y such that $\rho^{-1}U = \coprod U_\alpha$ where $U_\alpha \subseteq X$ is open for each α and $\rho|_{U_\alpha}$ is a homeomorphism.

Lemma 2.1.3: Let, $\phi : A \rightarrow B$ be a map of Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field with $(d\phi)_1 = a \rightarrow b$ an isomorphism. Then (i) ϕ is a local diffeomorphism and (ii) If B is connected, ϕ is onto.

Proof: Consider the following commutative diagram



which can be viewed element-wise



From this we can conclude that $(d\phi)_1 = (dL_{\phi(a)})_{\phi(a)}^{-1} \circ (d\phi)_a \circ (dL_a)_1$. Now since $(d\phi)_1$ is an isomorphism. $(d\phi)_a$ is an isomorphism for every $a \in A$. Invoking the inverse function theorem. We see then that ϕ is a local diffeomorphism. In particular, ϕ is an open map, so $\phi(A)$ is an open Γ -semi sub near-field spaces of a Γ -near-field space over near-field of B . Now, if B is connected then $\phi(A) = B$ and thus ϕ is onto. This completes the proof of the lemma.

Lemma 2.1.4: Let $\phi : A \rightarrow B$ be a surjective Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field map that is a local diffeomorphism. Then, ϕ is a covering map.

Proof: Let $\Lambda = \ker \phi$. Since ϕ is a local diffeomorphism, there exists an open neighbourhood U of I_A such that $\phi|_U$ is injective and so $U \cap \Lambda = I_A$. Since A is a Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field, the multiplication map $m : A \times A \rightarrow A$ is continuous and so there exists an open neighbourhood V of I_A such that $m(V \times V) \subseteq U$. That is, $VV \subseteq U$. Let $W = V \cap V^{-1}$, then $WW^{-1} \subseteq U$. We claim that for every $\lambda, \lambda' \in A$. $\lambda W \cap \lambda' W = \phi$ if and only if $\lambda = \lambda'$.

To prove this claim, suppose $\lambda W \cap \lambda' W = \phi$ for some $\lambda, \lambda' \in A$. Then, there exists $w, w' \in W$ so that $\lambda w = \lambda' w'$. But then, $(\lambda')^{-1}\lambda = 1$.

Now, what we have just proved is that $\ker \phi = \Lambda$ is discrete, so $\phi^{-1}(\phi(W)) = \bigcup_{\lambda \in \Lambda} \lambda W$ and we

have a homeomorphism $\phi|_{\lambda W} : \lambda W \rightarrow \phi(\lambda W)$. Thus, for each $b \in B$ and $a \in \phi^{-1}(b)$, $\phi^{-1}(b) = \bigcup_{\lambda \in \Lambda} a\lambda W$. Therefore, the fibers of ϕ are discrete and $\phi : A \rightarrow B$ is a covering map. This completes the proof of the lemma.


We have the following fact from topology stated here as lemma:

Lemma 2.1.5: Let $\phi : A \rightarrow B$ be a covering map of topological near-field spaces with B simply connected. Then, ϕ is a homeomorphism.

Lemma 2.1.6: Let N be a connected and simply connected Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field with Nagendram Γ -semi sub near-field space algebras g and H a Nagendram Γ -semi sub near-field space with Nagendram Γ -semi sub near-field space algebras h . Given Nagendram Γ -semi sub near-field space algebras morphism $r : g \rightarrow h$, there exists a unique Nagendram Γ -semi sub near-field space morphism $\rho : N \rightarrow H$ such that $\delta\rho = r$.

Proof: Let us first note that $\text{graph}(r) = \{(X, r(X)) \in g \times h \mid X \in g\}$ is a sub Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field algebras of $g \times h$ since $[(X_1, r(X_1)), (X_2, r(X_2))] = (|X_1, X_2|, |r(X_1), r(X_2)|) = (|X_1, X_2|, r|X_1, X_2|)$

Therefore there exists a connected Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field Γ of $N \times H$ so that $T_1\Gamma = \text{graph}(r)$. The claim is that Γ is the graph of the Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field morphism ρ we are trying to construct, and hence it is sufficient to show that Γ is in fact a graph. Finally, if Γ is a graph, then we have



And can simply define $\rho = \pi_2 \circ (\pi_1|_r)^{-1}$. Now $(d\pi_1|_r)_{(1,1)} : \text{graph}(r) \rightarrow \mathfrak{g}$ is an isomorphism. So $\pi_1|_r$ is a local diffeomorphism and evidently $\pi_1|_r : \Gamma \rightarrow \mathbb{N}$ is a surjective Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field homomorphism. $\pi_1|_r$ is a covering map. Since \mathbb{N} is simply connected, $\pi_1|_r$ is a homeomorphism.

Finally, define, $\rho : \mathbb{N} \rightarrow \mathbb{H}$ by $\rho = \pi_2 \circ (\pi_1|_r)^{-1}$. Since Γ is a semi sub near-field spaces of a Γ -near-field space over near-field, ρ is a homomorphism and $\text{graph}(\rho) = \Gamma$. This gives us the Nagendram Γ -semi sub near-field space morphism we want.

We now have to establish the uniqueness of such a Nagendram Γ -semi sub near-field space homomorphism. Suppose $\bar{\rho} : \mathbb{N} \rightarrow \mathbb{H}$ is another such Nagendram Γ -semi sub near-field space morphism, then $S_{(1,1)}(\text{graph}(\bar{\rho})) = \text{graph}(r) = S_{(1,1)}(\text{graph}(\rho))$.

Since $\text{graph}(\bar{\rho})$ and $\text{graph}(\rho)$ are connected Γ -semi sub near-field spaces of $\mathbb{N} \times \mathbb{H}$ with the same Nagendram Γ -semi sub near-field space algebras, they must be identical. Therefore, $\bar{\rho} = \rho$ and there exists a unique Nagendram Γ -semi sub near-field space morphism $\rho : \mathbb{N} \rightarrow \mathbb{H}$ such that $\delta\rho = r$. This completes the proof of the lemma.

SECTION-3: The exponential map Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field

3.1.1 The exponential Map. Given a Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field and its Nagendram Γ -semi sub near-field space algebras \mathfrak{g} , we would like to construct an exponential map from $\mathfrak{g} \rightarrow \mathbb{N}$, which will help to give some information about the structure of \mathfrak{g} .

3.1.2 Definition: exponential map. Let \mathbb{N} be a Nagendram Γ -semi sub near-field space with Nagendram Γ -semi sub near-field space algebras \mathfrak{g} . Define the exponential map $\exp : \mathfrak{g} \rightarrow \mathbb{N}$ by $\exp(X) = \gamma X(1)$.

Proposition 3.1.3: Let \mathbb{N} be a Nagendram Γ -semi sub near-field space with Nagendram Γ -semi sub near-field space algebras \mathfrak{g} . then for each $X \in \mathfrak{g}$, there exists a map $\gamma X : \mathbb{N} \rightarrow \mathbb{N}$ satisfying

- (a) $\gamma X(0) = I_{\mathbb{N}}$,
- (b) $\left. \frac{d}{dt} \right|_{t=0} \gamma X(t) = X$ and
- (c) $\gamma X(s+t) = \gamma X(s)\gamma X(t)$.

Proof: Consider the Nagendram Γ -semi sub near-field space algebras map $\tau : \mathbb{N} \rightarrow \mathfrak{g}$ defined by $\tau: t \mapsto tX$ for all $X \in \mathfrak{g}$. Now, \mathbb{N} is connected and simply connected Γ -semi sub near-field space, so there exists a unique Nagendram Γ -semi sub near-field space map $\gamma X : \mathbb{N} \rightarrow \mathbb{N}$ such that $(d\gamma X)_0 = \tau$

which is to say $\left. \frac{d}{dt} \right|_{t=0} \gamma X(t) = X$. This completes the proof of the proposition.

Lemma 3.1.4: Let \mathbb{N} be a Nagendram Γ -semi sub near-field space with Nagendram Γ -semi sub near-field space algebras \mathfrak{g} . Write \hat{X} for the left invariant Γ -semi sub near-field space on \mathfrak{g} with $\hat{X}(1) = X$. then, $\phi_t(a) = a\gamma X(t)$ is the flow of \hat{X} . In particular, \hat{X} is complete Γ -semi sub near-field space with Nagendram Γ -semi sub near-field space algebras \mathfrak{g} . i.e. the flow exists for all $t \in \mathbb{N}$.

Proof: For $a \in N$, we have

$$\begin{aligned} \left. \frac{d}{dt} \right|_{t=0} a \gamma X(t) &= (dL_a)_{\gamma X(s)} \left(\left. \frac{d}{dt} \right|_{t=0} \gamma X(t) \right) = (dL_a)_{\gamma X(s)} \left(\left. \frac{d}{dt} \right|_{t=0} \gamma X(t+s) \right) \\ &= (dL_a)_{\gamma X(s)} \left(\left. \frac{d}{dt} \right|_{t=0} \gamma X(s) \gamma X(t) \right) = (dL_a)_{\gamma X(s)} \left(\left. \frac{d}{dt} \right|_{t=0} L(\gamma X(t)) \right) \\ &= (dL_a)_{\gamma X(s)} \left(\left. \frac{d}{dt} \right|_{t=0} \gamma X(t) \right) = (dL_a \gamma X(s))_1(X) = X(a\gamma X(s)) \end{aligned}$$

Since \hat{X} is left invariant Γ -semi sub near-field space on \mathfrak{g} with $\hat{X}(1) = X$. So, $a\gamma X(t)$ is the flow of \hat{X} and exists for all t . This completes the proof of the lemma.

Lemma 3.1.5: The exponential Map is C^∞ .

Proof: Consider the vector Γ -semi sub near-field space V on $N \times \mathfrak{g}$ given by $V(a, X) = (dL_a(X), 0)$. Then $V \in C^\infty(N, \mathfrak{g})$ and the claim is that the flow of V is given by $\psi_t(\mathfrak{g}, X) = (\mathfrak{g}\gamma X(t), X)$. To prove this claim, consider the following:

$$\left. \frac{d}{dt} \right|_{t=0} (\mathfrak{g}\gamma X(t), X) = (dL_{\mathfrak{g}\gamma X(s)}(X), 0) = V(\mathfrak{g}\gamma X(s), X) \text{ from which we can conclude that } \gamma X \text{ depends smoothly on } X.$$

Now, we note that the map $\phi : N \times N \times \mathfrak{g}$ defined by $\phi(t, a, X) = (a\gamma X(t), X)$ is smooth. Thus, if $\pi_1 : N \times \mathfrak{g} \rightarrow N$ is projection on the first factor, $(\pi_1)_* (I_N, X) = \gamma X(1) = \exp(X)$ is C^∞ . This completes the proof of the lemma.

Lemma 3.1.6: For all $X \in \mathfrak{g}$ and for all $t \in N$ $\gamma tX(1) = \gamma X(t)$.

Proof: The intent is to prove that for all $s \in N$, $\gamma tX(s) = \gamma(ts)$. Now, $s \mapsto \gamma tX(s)$ is the integral curve of the left invariant vector Γ -semi sub near-field space $t\hat{X}$ through I_N . But, $t\hat{X} = t\hat{X}$, so if we prove that $\gamma X(ts)$ is an integral curve of $t\hat{X}$ through I_N by uniqueness the lemma will be established.

To prove this, first let $\sigma(s) = \gamma X(ts)$. Then $\sigma(0) = \gamma X(0) = I_N$. we also have $\frac{d}{ds} \sigma(s) = \frac{d}{ds} \gamma X(ts) = d \left. \frac{d}{du} \right|_{u=ts} \gamma X(u) = t\bar{X}(\gamma X(ts)) = t\bar{X}(\sigma(s))$. So $\sigma(s)$ is also an integral curve of $t\hat{X}$ through I_N . thus, $\gamma tX(s) = \gamma X(ts)$ and in particular, when $s = 1$ we have $\gamma tX(1) = \gamma X(t)$. This completes the proof of the lemma.

Note 3.1.7: Now we will use this lemma to prove a rather than nice fact about the exponential map.

Proposition 3.1.8: Let N be a Nagendram Γ -semi sub near-field space with Nagendram Γ -semi sub near-field space algebras \mathfrak{g} . Identify both $T_0\mathfrak{g}$ and T_1N with \mathfrak{g} . Then, $(d \exp)_0 : T_0\mathfrak{g} \rightarrow T_1N$ is the identity map.

Proof: We have $(d \exp)_0 (X) = \left. \frac{d}{dt} \right|_{t=0} \exp(0+tX) = \left. \frac{d}{ds} \right|_{s=0} \gamma tX(1) = \left. \frac{d}{ds} \right|_{s=0} \gamma X(t) = X$. This completes the proof of the proposition.

Corollary 3.1.9: For all $t_1, t_2 \in N$, (i) $\exp((t_1 + t_2)X) = \exp t_1X + \exp t_2$ (ii) $\exp(-tX) = (\exp(tX))^{-1}$.


SECTION-4:

4.1 Naturality of exponential map Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field

4.1.1 Naturality of exponential map.

In this chapter, we reveal a property that will be used liberally in discussions to come and provide an important relationship between morphisms of Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field and morphisms of Nagendram Γ -semi sub near-field space algebras.

Theorem 4.1.2: Let $\phi : K \rightarrow N$ be a morphism of Nagendram Γ -semi sub near-field spaces of a Γ -near-field space over near-field. Then, the following diagram commutes:



That is to say, exp is natural.

Proof: Fix $X \in \mathbf{g}$. consider the curves $\sigma(t) = \phi(\text{exp}(tX))$, $\tau(t) = \text{exp}(\delta\phi(tX))$

Now, $\sigma, \tau: N \rightarrow N$ are Nagendram Γ -semi sub near-field space homomorphisms with $\sigma(0) = \tau(0) = 1$.

$$\text{So, } \left. \frac{d}{dt} \right|_{t=0} \sigma(t) = (d\phi)_1 \left(\left. \frac{d}{dt} \right|_{t=0} \text{exp}(tX) \right) = (\delta\phi)(X) = \left. \frac{d}{dt} \right|_{t=0} \tau(t).$$

So, $\sigma(t) = \tau(t)$ for all t. This completes the proof of the theorem.

Corollary 4.1.3: Let $K \subseteq N$ be a Nagendram Γ -semi sub near-field space of a of a Γ -near-field space over near-field N. Then, for all $X \in \mathbf{k}$, $\text{exp}_N(X) = \text{exp}_K(X)$. in particular, $X \in \mathbf{k}$ if and only if (IFF) $\text{exp}(tX) \in \mathbf{k}$ for all t.

Theorem 4.1.4: Every connected Nagendram Γ -semi sub near-field space N is a quotient \hat{M}/N where \hat{M} is a simply connected Nagendram Γ -semi sub near-field space of the same dimension as M and N is a central discrete normal Γ -semi sub near-field space of \hat{M} . Both \hat{M} and N are unique up to isomorphism.

Proof: Recall the universal covering space of a topological space is the unique up to desk isomorphism simply connected covering space. We will use, but not prove, the fact that every connected Nagendram Γ -semi sub near-field space has a universal covering space.

Let \hat{M} be the universal covering space of M and denote by p the covering map. Let $\hat{I} = p^{-1}(1)$. Denote by \hat{m} the lift of the multiplication map $m : M \times M \rightarrow M$ to \hat{M} uniquely determined by $\hat{m}(\hat{I}, \hat{I}) = \hat{I}$. Similarly, $\text{inv} : M \rightarrow M$ lifts to \hat{M} as well. Thus, \hat{M} is a Nagendram Γ -semi sub near-field space of a of a Γ -near-field space over near-field N. p is a Nagendram Γ -semi sub near-field space of a of a Γ -near-field space over near-field homomorphism by definition of $\hat{m} : p(\hat{m}(a, b)) = m(p(a), p(b))$. Now, kernels of covering maps are discrete, and evidently, $M \cong \hat{M} / \ker. p$.

It remains to prove that N = ker. p is central, that is for all $g \in \hat{M}$ and $n \in N$, $gng^{-1} = n$.

Fix $n \in N$. Define $\phi : \hat{M} \rightarrow \hat{M}$ by $\phi(g) = gng^{-1}$. Since N is Γ -semi normal sub near-field space $\phi(M) \subseteq N$. Now \hat{M} is connected so $\phi(M)$ is connected since is continuous. But, N is discrete so $\phi(M)$ is a single point. We have $\phi(1) = n$ and hence $\phi(M) = n$. therefore, N is central. This completes the proof of the theorem.

Proposition 4.1.5: Nagendram Γ -semi sub near-field spaces of a of a Γ -near-field space over near-field N have no small Γ -semi sub near-field spaces, i.e. if N is a Nagendram Γ -semi sub near-field space, then there exists a neighbourhood V of the identity so that for all $g \in V$ there exists a positive integer K depending on g having the property that $g^K \notin V$.

Proof: Recall that $(\exp)_0 : g \rightarrow g$ is the identity. By the Inverse function theorem, there exists neighbourhoods V' of 0 in g and U' of $1 \in M$ so that $\exp : V' \rightarrow U'$ is a diffeomorphism. Let $U = \exp(1/2 V')$. We claim that U is the desired neighbourhood.

If $g \in U$, then $g = \exp(1/2 v)$ for some $v \in V'$. Then, $g^n = \exp(1/2v) \dots \exp(1/2v)$ (n times) for any positive integer n .

Now, given v , pick N so that $N/2 v \in V' \setminus \frac{1}{2} V'$. Then, $g^N \in \exp(V') \setminus \exp(1/2 V') = U' \setminus U$. This completes the proof of the proposition.

ACKNOWLEDGEMENT

Dr N V Nagendram being a Professor is indebted to the referee for his various valuable comments leading to the improvement of the advanced research article. For the academic and financial year 2018 – 2019, this work under project was supported by the chairman Sri B Srinivasa Rao, Kakinada Institute of Technology & Science (K.I.T.S.), R&D education Department S&H (Mathematics), Divili 533 433. Andhra Pradesh INDIA.

REFERENCES

1. G. L. Booth A note on Γ -near-rings Stud. Sci. Math. Hung. 23 (1988) 471-475.
2. G. L. Booth Jacobson radicals of Γ -near-rings Proceedings of the Hobart Conference, Longman Sci. & Technical (1987) 1-12.
3. G Pilz Near-rings, Amsterdam, North Holland.
4. P. S. Das Fuzzy groups and level subgroups J. Math. Anal. and Appl. 84 (1981) 264-269.
5. V. N. Dixit, R. Kumar and N. Ajal On fuzzy rings Fuzzy Sets and Systems 49 (1992) 205-213.
6. S. M. Hong and Y. B. Jun A note on fuzzy ideals in Γ -rings Bull. Honam Math. Soc. 12 (1995) 39-48.
7. Y. B. Jun and S. Lajos Fuzzy (1; 2)-ideals in semigroups PU. M. A. 8(1) (1997) 67-74.
8. Y. B. Jun and C. Y. Lee Fuzzy \square -rings Pusan Kyongnam Math. J. 8(2) (1992) 163-170.
9. Y. B. Jun, J. Neggers and H. S. Kim Normal L-fuzzy ideals in semirings Fuzzy Sets and Systems 82 (1996) 383-386.
10. N V Nagendram, T V Pradeep Kumar and Y V Reddy On "Semi Noetherian Regular Matrix δ -Near-Rings and their extensions", International Journal of Advances in Algebra (IJAA), Jordan, ISSN 0973 - 6964, Vol.4, No.1, (2011), pp.51-55.
11. N V Nagendram, T V Pradeep Kumar and Y V Reddy "A Note on Bounded Matrices over a Noetherian Regular Delta Near Rings", (BMNR-delta-NR) published in International Journal of Contemporary Mathematics, Vol.2, No.1, June 2011, Copyright @MindReaderPublications, ISSNNo:0973-6298, pp.13-19.
12. N V Nagendram, T V Pradeep Kumar and Y V Reddy "A Note on Boolean Regular Near-Rings and Boolean Regular δ -Near Rings", (BR-delta-NR) published in International Journal of Contemporary Mathematics, IJCM Int. J. of Contemporary Mathematics, Vol. 2, No. 1, June 2011, Copyright @ Mind Reader Publications, ISSN No: 0973-6298, pp. 29 - 34.
13. N V Nagendram, T V Pradeep Kumar and Y V Reddy "on p-Regular δ -Near-Rings and their extensions", (PR-delta-NR) accepted and to be published in int. J. Contemporary Mathematics (IJCM), 0973-6298, vol.1, no.2, pp.81-85, June 2011.
14. N V Nagendram, T V Pradeep Kumar and Y V Reddy "On Strongly Semi -Prime over Noetherian Regular δ -Near Rings and their extensions", (SSPNR-delta-NR) published in International Journal of Contemporary Mathematics, Vol.2, No.1, June 2011, pp.83-90.
15. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Structure Theory and Planar of Noetherian Regular δ -Near-Rings (STPLNR-delta-NR)", International Journal of Contemporary Mathematics, IJCM, published by IJSMA, pp.79-83, Dec, 2011.
16. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Matrix's Maps over Planar of Noetherian Regular δ -Near-Rings (MMPLNR-delta-NR)", International Journal of Contemporary Mathematics, IJCM, published by IJSMA, pp.203-211, Dec, 2011.

17. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On IFP Ideals on Noetherian Regular- δ - Near Rings(IFPINR- δ -NR)", Int. J. of Contemporary Mathematics, Copyright @ Mind Reader Publications, ISSN No: 0973-6298, Vol. 2, No. 1, pp.53-58, June 2011.
18. N V Nagendram, B Ramesh paper "A Note on Asymptotic value of the Maximal size of a Graph with rainbow connection number $2^*(AVM-SGR-CN2^*)$ " published in an International Journal of Advances in Algebra(IJAA) Jordan @ Research India Publications, Rohini , New Delhi , ISSN 0973-6964 Volume 5, Number 2 (2012), pp. 103-112.
19. N V Nagendram research paper on "Near Left Almost Near-Fields (N-LA-NF)" communicated to for 2nd international conference by International Journal of Mathematical Sciences and Applications, IJMSA @mindreader publications, New Delhi on 23-04-2012 also for publication.
20. N V Nagendram, T Radha Rani, Dr T V Pradeep Kumar and Dr Y V Reddy "A Generalized Near Fields and (m, n) Bi-Ideals over Noetherian regular Delta-near rings (GNF-(m, n) BI-NR- δ -NR)", published in an International Journal of Theoretical Mathematics and Applications (TMA),Greece, Athens, dated 08-04-2012.
21. N V Nagendram,Smt.T.Radha Rani, Dr T V Pradeep Kumar and Dr Y V Reddy "Applications of Linear Programming on optimization of cool freezers(ALP-on-OCF)" Published in International Journal of Pure and Applied Mathematics, IJPAM-2012-17-670 ISSN-1314-0744 Vol-75 No-3(2011).
22. N V Nagendram "A Note on Algebra to spatial objects and Data Models(ASO-DM)" Published in international Journal American Journal of Mathematics and Mathematical Sciences, AJMMS,USA, Copyright @ Mind Reader Publications, Rohini , New Delhi, ISSN. 2250-3102, Vol.1, No.2 (Dec. 2012),pp. 233 – 247.
23. N V Nagendram, Ch Padma, Dr T V Pradeep Kumar and Dr Y V Reddy "A Note on Pi-Regularity and Pi-S-Unitality over Noetherian Regular Delta Near Rings(PI-R-PI-S-U-NR-Delta-NR)" Published in International Electronic Journal of Pure and Applied Mathematics, IeJPAM-2012-17-669 ISSN-1314-0744 Vol-75 No-4 (2011).
24. N V Nagendram, Ch Padma, Dr T V Pradeep Kumar and Dr Y V Reddy "Ideal Comparability over Noetherian Regular Delta Near Rings(IC-NR-Delta-NR)" Published in International Journal of Advances in Algebra(IJAA,Jordan),ISSN 0973-6964 Vol:5, NO:1 (2012),pp.43-53@ Research India publications, Rohini, New Delhi.
25. N. V. Nagendram, S. Venu Madava Sarma and T. V. Pradeep Kumar, "A Note on Sufficient Condition of Hamiltonian Path to Complete Graphs (SC-HPCG)", IJMA-2(11), 2011, pp.1-6.
26. N V Nagendram,Dr T V Pradeep Kumar and Dr Y V Reddy "On Noetherian Regular Delta Near Rings and their Extensions(NR- δ -NR)",IJCMS,Bulgaria, IJCMS-5-8-2011, Vol.6, 2011, No.6, 255-262.
27. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Semi Noetherian Regular Matrix Delta Near Rings and their Extensions(SNRM- δ -NR)", Jordan, @ Research India Publications, Advances in Algebra ISSN 0973-6964 Volume 4, Number 1 (2011), pp.51-55© Research India Publicationspp.51-55
28. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Boolean Noetherian Regular Delta Near Ring(BNR- δ -NR)s", International Journal of Contemporary Mathematics,IJCM Int. J. of Contemporary Mathematics, Vol. 2, No. 1-2,Jan-Dec 2011, Mind Reader Publications, ISSN No: 0973-6298, pp. 23-27.
29. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Bounded Matrix over a Noetherian Regular Delta Near Rings(BMNR- δ -NR)", Int. J. of Contemporary Mathematics, Vol. 2, No. 1-2, Jan-Dec 2011 ,Copyright @ Mind Reader Publications, ISSN No: 0973-6298, pp.11-16
30. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Strongly Semi Prime over Noetherian Regular Delta Near Rings and their Extensions(SSPNR- δ -NR)", Int. J. of Contemporary Mathematics,Vol. 2, No. 1, Jan-Dec 2011 ,Copyright @ Mind Reader Publications, ISSN No: 0973-6298,pp.69-74.
31. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On IFP Ideals on Noetherian Regular Delta Near Rings(IFPINR- δ -NR)", Int. J. of Contemporary Mathematics,Vol. 2, No. 1-2, Jan-Dec 2011 ,Copyright @ Mind Reader Publications, ISSN No: 0973-6298, pp.43-46.
32. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Structure Theory and Planar of Noetherian Regular delta-Near-Rings (STPLNR- δ -NR)",International Journal of Contemporary Mathematics, IJCM, accepted for 1st international conference conducted by IJSMA, New Delhi December 18,2011,pp:79-83, Copyright @ Mind Reader Publications and to be published in the month of Jan 2011.

33. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "On Matrix's Maps over Planar of Noetherian Regular delta-Near-Rings (MMPLNR-delta-NR)", International Journal of Contemporary Mathematics ,IJCM, accepted for Ist international conference conducted by IJMSA, New Delhi December 18,2011,pp:203-211, Copyright @ Mind Reader Publications and to be published in the month of Jan 2011.
34. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "Some Fundamental Results on P- Regular delta-Near-Rings and their extensions (PNR-delta-NR)",International Journal of Contemporary Mathematics, IJCM,Jan-December'2011, Copyright @ MindReader Publications, ISSN: 0973-6298, vol.2,No.1-2,PP.81-85.
35. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "A Generalized ideal based-zero divisor graphs of Noetherian regular Delta-near rings (GIBDNR- d-NR)" , International Journal of Theoretical Mathematics and Applications (TMA) accepted and published by TMA, Greece, Athens,ISSN:1792-9687(print),vol.1,no.1, 2011,59-71,1792-9709 (online), International Scientific Press, 2011.
36. N V Nagendram, Dr T V Pradeep Kumar and Dr Y V Reddy "Inversive Localization of Noetherian regular Delta-near rings (ILNR- Delta-NR)", International Journal of Pure And Applied Mathematics published by IJPAM-2012-17-668, ISSN.1314-0744 vol-75 No-3,SOFIA,Bulgaria.
37. N V Nagendram¹, N Chandra Sekhara Rao² "Optical Near field Mapping of Plasmonic Nano Prisms over Noetherian Regular Delta Near Fields (ONFMPN-NR-Delta-NR)" accepted for 2nd international Conference by International Journal of Mathematical Sciences and Applications, IJMSA @ mind reader publications, New Delhi going to conduct on 15 – 16 th December 2012 also for publication.
38. N V Nagendram, K V S K Murthy (Yoga), "A Note on Present Trends on Yoga Apart From Medicine Usage and Its Applications (PTYAFMUIA)" Published by the International Association of Journal of Yoga Therapy, IAYT 18 th August, 2012.
39. N V Nagendram, B Ramesh, Ch Padma, T Radha Rani and S V M Sarma research article "A Note on Finite Pseudo Artinian Regular Delta Near Fields(FP AR-Delta-NF)" communicated to International Journal of Advances in Algebra, IJAA ,Jordan on 22 nd August 2012.
40. N V Nagendram "Amenability for dual concrete complete near-field spaces over a regular delta near-rings (ADC-NFS-R- δ -NR)" accepted for 3rd international Conference by International Journal of Mathematical Sciences and Applications, IJMSA @ mind reader publications, New Delhi going to conduct on 15–16 th December 2014 also for publication.
41. N V Nagendram "Characterization of near-field spaces over Baer-ideals" accepted for 4th international Conference by International Journal Conference of Mathematical Sciences and Applications, IJCMSA @ mind reader publications, New Delhi going to conduct on 19 – 20 th December 2015 at Asian Institute of Technology AIT, Klaung Lange 12120, Bangkok, Thailand.
42. N V Nagendram,, S V M Sarma Dr T V Pradeep Kumar " A note on sufficient condition of Hamiltonian path to Complete Graphs" published in International Journal of Mathematical archive IJMA, ISSN 2229-5046, Vol.2, No..2, Pg. 2113 – 2118, 2011.
43. N V Nagendram, S V M Sarma, Dr T V Pradeep Kumar "A note on Relations between Barnette and Sparse Graphs" published in an International Journal of Mathematical Archive (IJMA), An International Peer Review Journal for Mathematical, Science & Computing Professionals, 2(12),2011, pg no.2538-2542,ISSN 2229 – 5046.
44. N V Nagendram "On Semi Modules over Artinian Regular Delta Near Rings(S Modules-AR-Delta-NR) Accepted and published in an International Journal of Mathematical Archive (IJMA)", An International Peer Review Journal for Mathematical, Science & Computing Professionals ISSN 2229-5046, IJMA-3-474, 2012.
45. N V Nagendram "A note on Generating Near-field efficiently Theorem from Algebraic K - Theory" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.3, No.10, Pg. 1 – 8, 2012.
46. N V Nagendram and B Ramesh on "Polynomials over Euclidean Domain in Noetherian Regular Delta Near Ring Some Problems related to Near Fields of Mappings(PED-NR-Delta-NR & SPR-NF)" Accepted and published in an International Journal of Mathematical Archive (IJMA), An International Peer Review Journal for Mathematical, Science & Computing Professionals ISSN 2229-5046,vol.3,no.8,pp no. 2998-3002,2012.
47. N V Nagendram "Semi Simple near-fields Generating efficiently Theorem from Algebraic K-Theory" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.3, No.12, Pg. 1 – 7, 2012.
48. N V Nagendram "-----" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.3, No.10, Pg. 3612 – 3619, 2012.

49. N V Nagendram, E Sudeeshna Susila, "Applications of linear infinite dimensional system in a Hilbert space and its characterizations in engg. Maths (AL FD S HS & EM)", IJMA, ISSN.2229-5046, Vol.4, No.7, Pg. 1 – 11(19 – 29), 2013.
50. N V Nagendram, Dr T V Pradeep Kumar, "Compactness in fuzzy near-field spaces (CN-F-NS)", IJMA, ISSN. 2229 – 5046, Vol.4, No.10, Pg. 1 – 12, 2013.
51. N V Nagendram, Dr T V Pradeep Kumar and Dr Y Venkateswara Reddy, " Fuzzy Bi- Γ ideals in Γ semi near – field spaces (F Bi-Gamma I G)" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.4, No.11, Pg. 1 – 11, 2013.
52. N V Nagendram, " EIFP Near-fields extension of near-rings and regular delta near-rings (EIFP-NF-E-NR)" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229 - 5046, Vol.4, No.8, Pg. 1 –11, 2013.
53. N V Nagendram, E Sudeeshna Susila, "Generalization of $(\epsilon, \epsilon Vqk)$ fuzzy sub near-fields and ideals of near-fields(GF-NF-IO-NF)", IJMA, ISSN.2229-5046, Vol.4, No.7, Pg. 1 – 11, 2013.
54. N V Nagendram, Dr T V Pradeep Kumar, " A note on Levitzki radical of near-fields(LR-NF)" ,Published by International Journal of Mathematical Archive, IJMA,ISSN. 2229-5046, Vol.4, No.4, Pg.288 – 295, 2013.
55. N V Nagendram, "Amalgamated duplications of some special near-fields(AD-SP-N-F)", Published by International Journal of Mathematical Archive, IJMA,ISSN. 2229-5046, Vol.4, No.2, Pg.1 – 7, 2013.
56. N V Nagendram, " Infinite sub near-fields of infinite near-fields and near-left almost near-fields(IS-NF-INF-NL-A-NF)",Published by International Journal of Mathematical Archive, IJMA,ISSN. 2229-5046, Vol.4, No.2, Pg. 90 – 99, 2013.
57. N V Nagendram "Tensor product of a near-field space and sub near-field space over a near-field" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.8, No.6, Pg. 8 – 14, 2017.
58. N V Nagendram, E Sudeeshna Susila, Dr T V Pradeep Kumar "Some problems and applications of ordinary differential equations to Hilbert Spaces in Engg mathematics (SP-O-DE-HS-EM)", IJMA, ISSN.2229-5046, Vol.4, No.4, Pg. 118 – 125, 2013.
59. N V Nagendram, Dr T V Pradeep Kumar and D Venkateswarlu, "Completeness of near-field spaces over near-fields (VNFS-O-NF)" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.5, No.2, Pg. 65 – 74, 2014
60. Dr N V Nagendram "A note on Divided near-field spaces and ϕ -pseudo – valuation near-field spaces over regular δ -near-rings (DNF- ϕ -PVNFS-O- δ -NR)" published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.6, No.4, Pg. 31 – 38, 2015.
61. Dr. N V Nagendram "A Note on B_1 -Near-fields over R-delta-NR (B_1 -NFS-R- δ -NR)", Published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.6, No.8, Pg. 144 – 151, 2015.
62. Dr. N V Nagendram " A Note on TL-ideal of Near-fields over R-delta-NR(TL-I-NFS-R- δ -NR)", Published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.6, No.8, Pg. 51 – 65, 2015.
63. Dr. N V Nagendram "A Note on structure of periodic Near-fields and near-field spaces (ANS-P-NF-NFS)", Published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.7, No.4, Pg. 1 – 7, 2016.
64. Dr. N V Nagendram "Certain Near-field spaces are Near-fields(C-NFS-NF)", Published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.7, No.4, Pg. 1 – 7, 2016.
65. Dr. N V Nagendram "Sum of Annihilators Near-field spaces over Near-rings is Annihilator Near-field space(SA-NFS-O-A-NFS)", Published by International Journal of Mathematical Archive, IJMA, ISSN. 2229-5046, Vol.7, No.1, Pg. 125 – 136, 2016.
66. Dr. N V Nagendram "A note on commutativity of periodic near-field spaces", Published by IJMA, ISSN. 2229 - 5046, Vol.7, No. 6, Pg. 27 – 33, 2016.
67. Dr N V Nagendram "Densely Co-Hopfian sub near-field spaces over a near-field, IMA, ISSN No.2229-5046, 2016, Vol.7, No.10, Pg 1-12.
68. Dr N V Nagendram, "Closed (or open) sub near-field spaces of commutative near-field space over a near-field", 2016, Vol.7, No,9, ISSN NO.2229 – 5046, Pg No.57 – 72.
69. Dr N V Nagendram, "Homomorphism of near-field spaces over a near-field", IJMA Jan 2017, Vol.8, No,2,ISSN NO.2229 – 5046, Pg No. 141 – 146.
70. Dr N V Nagendram, "Sigma – toe derivations of near-field spaces over a near-field", IJMA Jan 2017, Vol.8, No, 4, ISSN NO.2229 – 5046, Pg No. 1 – 8.
71. Dr N V Nagendram, "On the hyper center of near-field spaces over a near-field", IJMA Feb 2017, Vol.8, No,2, ISSN NO.2229 – 5046, Pg No.113 – 119.

72. Dr N V Nagendram, "Commutative Theorem on near-field space and sub near-field space over a near-field", IJMA July, 2017, Vol.8, No,7, ISSN NO.2229 – 5046, Pg No. 1 – 7.
73. Dr N V Nagendram, "Project on near-field spaces with sub near-field space over a near-field", IJMA Oct, 2017, Vol.8, No,11, ISSN NO.2229 – 5046, Pg No. 7 – 15.
74. Dr N V Nagendram, "Abstract near-field spaces with sub near-field space over a near-field of Algebraic in Statistics" , IJMA Nov, 2017, Vol.8, No,12, ISSN NO.2229 – 5046, Pg No. 13 – 22.
75. Smt. T Madhavi Latha, Dr T V Pradeep Kumar and Dr N V Nagendram, "Commutative Prime Γ -near-field spaces with permuting Tri-derivations over near-field", IJMA Dec, 2017, Vol.8, No,12, ISSN NO.2229 – 5046, Pg No. 1 – 9.
76. Smt. T Madhavi Latha, Dr T V Pradeep Kumar and Dr N V Nagendram, "Fuzzy sub near-field spaces in Γ - near-field space over a near-field", IJMA Nov, 2017, Vol.8, No, 12, ISSN NO.2229 – 5046, Pg No.188 – 196.
77. Smt. T Madhavi Latha, Dr T V Pradeep Kumar and Dr N V Nagendram, "Gamma Semi Sub near-field spaces in gamma near-field space over a near-field PART I", IJMA Jan, 2018, Vol. 9, No, 2, ISSN NO.2229 – 5046, Pg No.135 – 145.
78. Smt. T Madhavi Latha, Dr T V Pradeep Kumar and Dr N V Nagendram, "Gamma Semi Sub near-field spaces in gamma near-field space over a near-field PART II", IJMA 14 Feb, 2018, Vol. 9, No, 3, ISSN NO.2229 – 5046, Pg No.6 – 12.
79. Smt. T Madhavi Latha, Dr T V Pradeep Kumar and Dr N V Nagendram, "Gamma Semi Sub near-field spaces in gamma near-field space over a near-field PART III", IJMA 26 Feb, 2018, Vol. 9, No, 3, ISSN NO.2229 – 5046, Pg No.86 – 95.
80. Smt. T Madhavi Latha, Dr T V Pradeep Kumar and Dr N V Nagendram, "Gamma Semi Sub near-field spaces in gamma near-field space over a near-field PART IV", IJMA 09 Mar, 2018, Vol. 9, No, 3, ISSN NO.2229 – 5046, Pg No.1 – 14.
81. Dr N V Nagendram, "Nagendram Gamma-Semi Sub near-field spaces in gamma near-field space over a near-field", IJMA, Vol. 9, No, 6, ISSN NO.2229 – 5046, Pg No. 56 –66.

Source of support: Nil, Conflict of interest: None Declared.

[Copy right © 2018. This is an Open Access article distributed under the terms of the International Journal of Mathematical Archive (IJMA), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.]