

**PART II APPLICATIONS OF KALANGI NON-ASSOCIATIVE Γ -SEMI SUB NEAR-FIELD SPACE
OF A Γ -NEAR-FIELD SPACE OVER NEAR-FIELD**

SRI. KALANGI HARISCHANDRA PRASAD¹

Associate Professor, Department of Science & Humanities,
Sai Tirumala NVR College of Engineering Jonnalagadda,
Narasaraopeta, Guntur District, Andhra Pradesh. INDIA.

DR T V PRADEEP KUMAR²

Assistant Professor of Mathematics,
A N U College of Engineering & Technology,
Department of Mathematics, Acharya Nagarjuna University
Nambur, Nagarjuna Nagar-522 510. Guntur District. Andhra Pradesh. INDIA.

DR N V NAGENDRAM³

Professor of Mathematics
Kakinada Institute of Technology & Science (K.I.T.S.),
Department of Humanities & Science (Mathematics)
Tirupathi (Vill.) Peddapuram (M), Divili-533 433
East Godavari District. Andhra Pradesh. INDIA.

DR J BABU⁴

Professor, Department of ECE,
Dadi Institute of Engineering & Technology, Anakapalle,
Visakhapatnam District, Andhra Pradesh. INDIA.

(Received On: 03-05-20; Revised & Accepted On: 18-05-20)

ABSTRACT

In this manuscript we introduce PART II some applications of Kalangi non-associated Γ -semi sub near-field space of a Γ -near-field space over near-field, quasi non associative Γ -semi sub near-field space, K-quasi N - Γ -semi sub near-field space, quasi ideals, etc and concepts like PART II some applications of Kalangi quasi bipotent elements and several analogous properties done in case of Γ -near-field spaces.

Keywords: Automaton, semi – automaton, Kalangi automaton, group automaton, Non-associative Γ -semi sub near-field space, Kalangi- Γ -semi sub near-field space, Γ -near-field space; Γ -Semi sub near-field space of Γ -near-field space; Semi near-field space of Γ -near-field space, quasi Γ -semi sub near-field space, quasi non-associative Γ -semi near-field space, state graph.

2000 Mathematics Subject Classification: 43A10, 46B28, 46H25, 6H99, 46L10, 46M20, 51 M 10, 51 F 15, 03 B 30.

Corresponding Author(s): Sri. Kalangi Harischandra Prasad¹, Research Scholar, Associative professor, Department of Science & Humanities (Mathematics), Sai Tirumala NVR Engineering College, Jonnalagadda, Narasarao Peta- 522 601, Guntur District, Andhra Pradesh. INDIA.

E-mail: hariprasadmaths@gmail.com; Dr T V Pradeep Kumar², Prof. Dr N V Nagendram³, nvn220463@yahoo.co.in; Dr J babu⁴, jettisanjay@gmail.com.

SECTION 1: Introduction and Preliminaries on Part II some applications of Kalangi non-associative Γ -semi sub near-field space of a Γ -near-field space over near-field.

In this paper we together introduced a maiden effort to bring the two probable existing applications in PART II some applications of Kalangi non-associative Γ -semi sub near-field spaces of a Γ -near-field space over near-field.

We are not widely speaking about the applications of Kalangi non-associative Γ -semi sub near-field spaces of a Γ -near-field space we only discuss here the two applications one in automaton and the other in the construction of error correcting codes.

Here we recall the basic notions of an automaton, semi – automaton, Kalangi automaton and group automaton and give some interesting illustrations of them.

Basics on automaton and on semi – automaton.

We just recall the definitions of automaton, semi-automaton, Kalangi automaton, Kalangi semi-automaton and group semi-automaton and finally the concept of syntactic Γ -semi sub near-field spaces of a Γ -near-field space over near-field. We illustrate them with explicit examples so that it would become easy when we introduce the Kalangi equivalence of syntactic Γ -semi sub near-field spaces of a Γ -near-field space over near-field and its probable application to group semi – automaton. As it is we deals with application all basic relevant information are recalled.

Definition 1.1: Semi-automaton. A semi-automaton is a triple $T = (N, B, \delta)$ consisting of two non-empty Γ -semi sub near-field spaces N and B and a function $\delta : N \times B \rightarrow N$, N is called the Γ -semi sub near-field space of states, B the input alphabet and δ the next state function of T .

Definition 1.2: Automaton. An automaton is a quintuple $B = (N, B, C, \delta, \lambda)$ where (N, B, δ) is a semi-automaton, C is a non-empty Γ -semi sub near-field space called the output alphabet and $\lambda : N \times B \rightarrow C$ is the output function.

Note 1.3: A semi automaton is finite if all Γ -semi sub near-field spaces N , B and C are finite. Here several types of automaton are studied.

Note 1.4: We usually describe the semi automaton only by tables or by graphs.

Now we describe description of automaton:

Let $B = \{b_1, b_2, \dots, b_n\}$, $C = \{c_1, c_2, \dots, c_n\}$ and $N = \{n_1, n_2, \dots, n_n\}$ where B is the input alphabet, C is the output alphabet and N is the Γ -semi sub near-field space of states. We describe δ the next state function from $N \times B \rightarrow N$ by the following table.

Input Table:

δ	b_1 b_n
n_1	$\delta(n_1, b_1)$ $\delta(n_1, b_n)$
.	.
.	.
.	.
n_k	$\delta(n_k, b_1)$ $\delta(n_k, b_k)$

Where $\delta(n_i, b_j) \in N$.


The output table in case of automaton is given by λ where, $\lambda : N \times B \rightarrow C$ where C is the output alphabet is given by the following output table.

Output Table:


λ	b_1	b_n
n_1	$\lambda(n_1, b_1)$	$\lambda(n_1, b_n)$
\cdot	\cdot	
\cdot	\cdot	
\cdot	\cdot	
n_k	$\lambda(n_k, b_1)$	$\lambda(n_k, b_k)$

Where $\lambda(n_i, b_i) \in C$.

Definition 1.5: State graph. The graphical representation which is called a state graph are drawn by taking the Γ -semi sub near-field space of states n_1, n_2, \dots, n_k as “discs”.



if $\delta(n_r, b_i) = n_s$. In case of an automaton, we have $\lambda(n_r, b_i) = n_s$ also as the output function so that the state graph in this case is




We illustrate by the following example the parity check automaton by both the tables and state graphs.

Example 1.6: Parity check automaton. Let $N = N = \{n_0, n_1\}$, $B = C = \{0, 1\}$ and

δ	0	1
n_0	n_0	n_1
n_1	n_1	n_0

λ	0	1
n_0	0	1
n_1	0	1

The state graph of this automaton



This automaton has limitations for a given input it can give an output. It can not do any sequential operations so using free Γ -semi sub near-field spaces an automaton which can perform sequence of operations acting on sequence of elements. To achieve this we define the following:

Definition 1.7: \overline{B} = free Γ -semi sub near-field space generated by the input alphabets B together with the empty sequence Λ .

Definition 1.8: \overline{C} = free Γ -semi sub near-field space generated by the output alphabets C together with the empty sequence Λ .

Clearly the number of states N in a machine cannot be adjusted as it is constructed or designed with a fixed number of states.

We extend the next state function δ and the output function $\lambda : N \times B \rightarrow N \times \bar{B}$ by defining for $n \in N$ and $b_1, b_2, \dots, b_r \in B$ where $\delta : N \times B \rightarrow N$ and $\bar{\delta} : N \times \bar{B} \rightarrow N$ by

$$\begin{aligned} \bar{\delta}(n, \Lambda) &= n \\ \bar{\delta}(n, b_1) &= \delta(n, b_1) \\ \bar{\delta}(n, b_1 b_2) &= \delta(\bar{\delta}(n, b_1), b_2) \\ &\vdots \\ \bar{\delta}(n, b_1 b_2 \dots b_n) &= \delta(\bar{\delta}(n, b_1 b_2 \dots b_{n-1}), b_n) \end{aligned}$$

And

$$\begin{aligned} \lambda : N \times B \rightarrow C \text{ by } \bar{\lambda} : N \times \bar{B} \rightarrow \bar{C} \text{ defined or extended by} \\ \bar{\lambda}(n, \Lambda) &= \Lambda \\ \bar{\lambda}(n, b_1) &= \lambda(n, b_1) \\ \bar{\lambda}(n, b_1 b_2) &= \lambda(n, b_1) \bar{\lambda}(\delta(n, b_1), b_2) \\ &\vdots \\ \bar{\lambda}(n, b_1 b_2 \dots b_n) &= \lambda(n, b_1) \bar{\lambda}(\delta(n, b_1), b_2 \dots b_{n-1}, b_n). \end{aligned}$$

In this way we obtain functions, $\bar{\delta} : N \times \bar{B} \rightarrow N$ and $\bar{\lambda} : N \times \bar{B} \rightarrow \bar{C}$.


Thus the semi automaton $T = (N, B, \delta)$ is generalized to new semi automaton $\bar{T} = (N, \bar{B}, \bar{\delta})$.

Similarly, the automaton $B = (N, B, C, \delta, \lambda)$ is generalized to the new automaton $\bar{B} = (N, \bar{B}, \bar{C}, \bar{\delta}, \bar{\lambda})$.

We can describe the operation by

$$\begin{aligned} n_1 &= n \\ n_2 &= \delta(n_1, b_1) \\ n_3 &= \bar{\delta}(\delta(n_1, b_1), b_2) \\ &= \delta(n_2, b_2) \\ &\vdots \\ &\vdots \\ &\vdots \end{aligned}$$

The sectional graph of automaton is :



Now using the concept of semi automaton and automaton we define the concept of Kalangi semi-automaton and Kalangi automaton as follows:

Definition 1.9: Kalangi semi automaton. $\lambda_k = (N, \bar{B}, \bar{\delta})$ is said to be a Kalangi semi – automaton if $\bar{B} = \langle B \rangle$ is the free groupoid generated B with Λ the empty sequence adjoined with it and $\bar{\delta}_s$ is the function from $N \times \bar{B}_t \rightarrow N$. thus the Kalangi semi – automaton (K semi-automaton) contains $\gamma = (N, \bar{B}_t, \bar{\delta}_s)$ as a new semi – automaton which is a proper substructure of γ_k .

Note 1.10: equivalently we define K-semi-automaton as one which has a new semi automaton as a substructure.


Note 1.11: Clearly, the K-semi automaton is generalized structure that the new semi-automaton as all free Kalangi Γ -semi sub near-field spaces of a Γ -near-field space over near-field are in \overline{B} is the free groupoid generated by B.

Definition 1.12: Kalangi sub semi-automaton. $\overline{Y}'_k = (N_1, \overline{B}_k, \overline{\delta}'_k)$ is called the Kalangi subsemi - automaton (K-subsemi – automaton) of $\overline{Y}_k = (N_2, \overline{B}_k, \overline{\delta}_k)$ denoted by $\overline{Y}'_k \subseteq \overline{Y}_k$ if $N_1 \subset N_2$ and $\overline{\delta}'_k$ is the restriction of $\overline{\delta}_k$ on $N_1 \times \overline{B}_k$ and \overline{Y}'_k has a proper subset $\overline{K} \subset \overline{Y}'_k$ such that \overline{K} is a new semi automaton.

Example 1.13: Let $N = N_4 = (2, 2)$ and $B = N_3 (1, 2)$ we define $\delta (n, b) = n * b \pmod{4}$ ‘ * ’ as in N. The table for the semi-automaton is given by

δ	0	1	2
0	0	2	0
1	2	0	2
2	0	2	0
3	2	0	2

The graph for it is



Thus this has Kalangi subsemi-automaton Γ -semi sub near-field space N_1 given by $N_1 = (0, 2)$ states.

Note 1.14: A machine equipped with this K-semi automaton Γ -semi sub near-field space can use any new automaton as per need. Now proceed on to recall the definition of group semi-automaton.

Definition 1.15: Kalangi automaton. $\overline{M}_k = (N, \overline{B}_k, \overline{C}_k, \overline{\delta}_k, \overline{\lambda}_k)$ is defined to be a Kalangi automaton (K-automaton) if $\overline{M} = (N, \overline{B}_k, \overline{C}_k, \overline{\delta}_k, \overline{\lambda}_k)$ is the new automaton and $\overline{B}_k, \overline{C}_k$, the Kalangi free groupoids so that $\overline{M} = (N, \overline{B}_k, \overline{C}_k, \overline{\delta}_k, \overline{\lambda}_k)$ is the new automaton got from M, and \overline{M} is strictly contained in \overline{M}_k .

Note 1.16: Thus K-automaton enables us to adjoin some more elements which is present in B and freely generated by B, as a free groupoid, that will be the case when the compositions may not be associative.

Secondly, by using K-automaton we can couple several automaton as

$$\begin{aligned} N &= N_1 \cup N_2 \cup N_3 \cup \dots \cup N_n \\ B &= B_1 \cup B_2 \cup B_3 \cup \dots \cup B_n \\ C &= C_1 \cup C_2 \cup C_3 \cup \dots \cup C_n \\ \delta &= \delta_1 \cup \delta_2 \cup \delta_3 \cup \dots \cup \delta_n \text{ and } \lambda = \lambda_1 \cup \lambda_2 \cup \lambda_3 \cup \dots \cup \lambda_n \end{aligned}$$

Where the union of $\lambda_i \cup \lambda_j$ and $\delta_i \cup \delta_j$ denote only extension maps as “ \cup ” has no meaning in the composition of maps, where $M_i = (N_i, B_i, C_i, \delta_i, \lambda_i)$ for $i = 1, 2, 3, \dots, n$ and $\overline{M} = \overline{M}_1 \cup \overline{M}_2 \cup \overline{M}_3 \cup \dots \cup \overline{M}_n$. Now $\overline{M}_k = (N, \overline{B}_k, \overline{C}_k, \overline{\delta}_k, \overline{\lambda}_k)$ is the K-automaton.

Example 1.17: Let $N = N_4(3, 2)$, $B = C = N_5(2, 3)$ $M = (N, B, C, \delta, \lambda)$ is a K-automaton defined by the following tables where $\delta(n, b) = n * b \pmod{4}$ and $\lambda(n, b) = n * b \pmod{5}$.

λ	0	1	2	3	4
0	0	3	1	4	2
1	2	0	3	1	4
2	4	2	0	3	1
3	1	4	2	0	3

δ	0	1	2	3	4
0	0	2	0	2	0
1	3	1	3	1	3
2	2	0	2	0	2
3	1	3	1	3	1

We obtain the following graph:



Thus we see this automaton has two Kalangi subautomatons given by the states $\{0, 2\}$ and $\{1, 3\}$ as above.

Definition 1.18: Kalangi sub-automaton. $\overline{M'_k} = (\overline{N_1}, \overline{B_k}, \overline{C_k}, \overline{\delta_k}, \overline{\lambda_k})$ is called Kalangi sub automaton (K-sub automaton) if $\overline{M_k} = (\overline{N_2}, \overline{B_k}, \overline{C_k}, \overline{\delta_k}, \overline{\lambda_k})$ denoted by $\overline{M'_k} \subseteq \overline{M_k}$ if $N_1 \subseteq N_2$ and $\overline{\delta'_k}$ and $\overline{\lambda'_k}$ are the restrictions of $\overline{\delta_k}$ and $\overline{\lambda_k}$ respectively on $N_1 \times \overline{B_k}$ and has proper Γ -semi sub near-field space $\overline{U} \subseteq \overline{M'_k}$ such that \overline{U} is a new Kalangi automaton (K-automaton).

SECTION 2: Basics on Kalangi automaton homomorphism, epi-morphism or isomorphism and on semi – automaton Part II some applications of Kalangi non-associative Γ -semi sub near-field space of a Γ -near-field space over near-field.

Here in section 2, we recall the basic notions of Kalangi automaton homomorphism, epi-morphism or isomorphism and on semi – automaton and give some interesting illustrations of them.

Definition 2.1: Kalangi automaton homomorphism. Let $\overline{M_1}$ and $\overline{M_2}$ be any two K-automaton where $\overline{M_1} = (\overline{N_1}, \overline{B_1}, \overline{C_1}, \overline{\delta_1}, \overline{\lambda_1})$ and $\overline{M_2} = (\overline{N_2}, \overline{B_2}, \overline{C_2}, \overline{\delta_2}, \overline{\lambda_2})$. A map $\phi : \overline{M_1} \rightarrow \overline{M_2}$ is a Kalangi automaton homomorphism (K-automaton-homomorphism) if ϕ is restricted from $\overline{M_1} = (\overline{N_1}, \overline{B_1}, \overline{C_1}, \overline{\delta_1}, \overline{\lambda_1})$ to $\overline{M_2} = (\overline{N_2}, \overline{B_2}, \overline{C_2}, \overline{\delta_2}, \overline{\lambda_2})$ denoted by ϕ , is an automaton homomorphism from $\overline{M_1}$ to $\overline{M_2}$. ϕ is called a Kalangi monomorphism (epi-morphism or isomorphism) if there is an isomorphism ϕ , from $\overline{M_1}$ to $\overline{M_2}$.

Definition 2.2 The direct product of the automaton. Let $\overline{M_1}$ and $\overline{M_2}$ be two K-automatons of Kalangi non-associative Γ -semi sub near-field space of a Γ -near-field space over near-field where $\overline{M_1} = (\overline{N_1}, \overline{B_1}, \overline{C_1}, \overline{\delta_1}, \overline{\lambda_1})$ and $\overline{M_2} = (\overline{N_2}, \overline{B_2}, \overline{C_2}, \overline{\delta_2}, \overline{\lambda_2})$. The Kalangi automaton direct product (K-automaton direct product) of $\overline{M_1}$ and $\overline{M_2}$ denoted by $\overline{M_1} \times \overline{M_2}$ is defined as the product of the automaton $\overline{M_1} = (\overline{N_1}, \overline{B_1}, \overline{C_1}, \overline{\delta_1}, \overline{\lambda_1})$ and $\overline{M_2} = (\overline{N_2}, \overline{B_2}, \overline{C_2}, \overline{\delta_2}, \overline{\lambda_2})$ where $\overline{M_1} \times \overline{M_2} = (\overline{N_1} \times \overline{N_2}, \overline{B_1} \times \overline{B_2}, \overline{C_1} \times \overline{C_2}, \overline{\delta}, \overline{\lambda})$ with $\overline{\delta}((n_1, n_2), (b_1, b_2)) = (\overline{\delta_1}(n_1, b_1), \overline{\delta_2}(n_2, b_2))$, $\overline{\lambda}((n_1, n_2), (b_1, b_2)) = (\overline{\lambda_1}(n_1, b_1), \overline{\lambda_2}(n_2, b_2)) \forall (n_1, n_2) \in \overline{N_1} \times \overline{N_2}$ and $(b_1, b_2) \in \overline{B_1} \times \overline{B_2}$.

Note 2.3: Here in $M_1 \times M_2$ we do not take the free groupoid to be generated by $B_1 \times B_2$ but only free groupoid generated by $\overline{M_1} \times \overline{M_2}$.

Thus the K-automaton direct product exists wherever a automaton direct product exists.

We made this in order to make the Kalangi parallel composition and Kalangi series composition of automaton extendable in a simple way.

Definition 2.4: Kalangi groupoid. A kalangi groupoid L_1 divides a Kalangi groupoid L_2 if the corresponding Kalangi non-associative Γ -semi sub near-field space of a Γ -near-field space over near-field M_1 and M_2 of L_1 and L_2 respectively divides, that is, if M_1 is a homomorphic image of a Kalangi non-associative Γ -semi sub near-field space of M_2 .

Note 2.5: In symbols $L_1 \setminus L_2$ the relation divides is denoted by “\”.

Definition 2.6: Equivalent K-automaton. Two K-automaton $\overline{M_1}$ and $\overline{M_2}$ are said to be equivalent K-automaton if they divide each other. In symbols we denote it as $\overline{M_1} \sim \overline{M_2}$.

Definition 2.7: Let M_1 and M_2 be any two K-automatons where $\overline{M_1} = (\overline{N_1}, \overline{B_k}, \overline{C_k}, \overline{\delta_k}, \overline{\lambda_k})$ and $\overline{M_2} = (\overline{N_2}, \overline{B_k}, \overline{C_k}, \overline{\delta_k}, \overline{\lambda_k})$ with an additional assumption $B_2 = C_1$.

ACKNOWLEDGMENT

It is great and immense pleasure to me being a Professor Dr N V Nagendram, to introduce Dr J Babu, Professor, Department of ECE, Dadi Institute of Engineering & Technology as one of co-author participated in discussion among ourselves and also to promote Sri. Kalangi Harischandra Prasad research scholar as an author under the guidance of mine and as well as Kalangi Harischandra Prasad’s guide Dr T V Pradeep Kumar, ANU from this article we together studied and introduced the contents of advanced research results on PART II Applications of Kalangi non-associative Γ -semi sub-near-field space of a Γ -near-field space over near-field being is indebted to the referee for his various valuable comments leading to the improvement of the advanced research article in algebra of Mathematics. For the academic and financial year 2020-‘21, this work was supported by The Principal, O/o Sai Tirumala NVR college of engineering, Jonnalagadda, Narasaraopet 522 601, Guntur District, Andhra Pradesh. INDIA, and Hon’ble chairman Sri B. Srinivasa Rao, Kakinada Institute of Technology & Science (K.I.T.S.), R&D education Department Humanities & sciences (Mathematics), Divili 533 433. Andhra Pradesh INDIA.

REFERENCES

1. G. L. Booth A note on Γ -near-rings Stud. Sci. Math. Hung. 23 (1988) 471-475.
2. G. L. Booth Jacobson radicals of Γ -near-rings Proceedings of the Hobart Conference, Longman Sci. & Technical (1987) 1-12.
3. G Pilz Near-rings, Amsterdam, North Holland.
4. P. S. Das Fuzzy groups and level subgroups J. Math. Anal. and Appl. 84 (1981) 264-269.
5. V. N. Dixit, R. Kumar and N. Ajal On fuzzy rings Fuzzy Sets and Systems 49 (1992) 205-213.
6. S. M. Hong and Y. B. Jun A note on fuzzy ideals in Γ -rings Bull. Honam Math. Soc. 12 (1995) 39- 48.
7. Y. B. Jun and S. Lajos Fuzzy (1; 2)-ideals in semigroups PU. M. A. 8(1) (1997) 67-74.
8. Y. B. Jun and C. Y. Lee Fuzzy Γ -rings Pusan Kyongnam Math. J. 8(2) (1992) 163-170.
9. Y. B. Jun, J. Neggers and H. S. Kim Normal L-fuzzy ideals in semirings Fuzzy Sets and Systems 82 (1996) 383-386.
10. K H Prasad¹, Dr T V Pradeep Kumar², Dr N V Nagendram³, Kalangi non-associative Γ -semi sub near field space of a Γ -near-field space over near-field, submitted to and accepted and published by IJMA, ISSN 2229-5046, Vol. 11, No.4, Pg No.7 – 9, 22 th Feb’ 2020 – 02 03 2020.
11. K H Prasad¹, Dr T V Pradeep Kumar², Dr N V Nagendram³, Part I Kalangi non-associative Γ -semi sub near field space of a Γ -near-field space over near-field, submitted to and accepted and published by IJMA, ISSN 2229-5046, Vol. 11, No. 4, Pg No. 42-45 28 th Feb’2020 – 20 03 2020.

Source of support: Nil, Conflict of interest: None Declared.

[Copy right © 2020. This is an Open Access article distributed under the terms of the International Journal of Mathematical Archive (IJMA), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.]